Message

From: Michael Ritorto [mritorto@rouxinc.com]

Sent: 10/24/2018 7:23:47 PM

To: Cirian, Mike [Cirian.Mike@epa.gov]

CC: John.Stroiazzo@glencore.ca; Laura Jensen [ljensen@rouxinc.com]; Steve Wright - CFAC [swright@cfaluminum.com];

Andrew Baris [abaris@rouxinc.com]; Dick Sloan [rsloan@mt.gov]; Gunnar Emilsson [EmilssonGR@cdmsmith.com]

Subject: Re: Additional MDEQ Comments on BHHRA
Attachments: DEQcom 9.2018 CFAC HHRA WPdocx.docx

Mike,

As discussed, Roux will ensure that these comments are considered as we evaluate the risk assessment data and we will incorporate responses to these comments into the Human Health Risk Assessment Report that will be submitted in March 2019.

Michael Ritorto, P.G. - NY | Principal Hydrogeologist/Office Manager

209 Shafter Street, Islandia, NY 11749

Main: 631-232-2600 | Direct: 631-630-2370

Email: mritorto@rouxinc.com | Website: www.rouxinc.com



California | Illinois | Massachusetts | New Jersey | New York | Texas



A Please consider the environment before printing this email.

NOTICE: This electronic communication, including any authorized attachments, contains information that may be legally privileged, protected, confidential and/or exempt from disciosure or certain types of use under applicable law. This information is for the sole use of the intended recipient(s). If you are not the intended recipient(s) or the employee or agent responsible for delivery of this message to the intended recipient(s), you are hereby notified that any review, use, disciosure, copying, distribution or the taking of any action in reliance on the contents of this e-mail or any attachments is strictly prohibited. You are further advised that review by an individual other than the intended recipient(s) shall not constitute a waiver of any attorney-client privilege which may apply to this communication. If you have received this communication in error, please notify the sender immediately by return e-mail, permanently delete this e-mail and any attachments from all computers on which they may be stored and destroy any print-outs of this email and any attachments.